SAFETY DATA SHEET

1. Identification

Product identifier

Dynasolve CU-6

Other means of identification

Product code

J001

Recommended use

Polyurethane remover

Recommended restrictions

None known.

Manufacturer/Importer/Supplier/Distributor information

Company name

Dynaloy, a subsidiary of Eastman Chemical Company

Address

6445 Olivia Lane

Indianapolis, IN 46226 US

US

Telephone

317-788-5694

E-mail

DynaloyInfo@eastman.com

Contact person

Dynaloy Info

Emergency phone number

Chemtrec International

1-800-424-9300

+1 703-527-3887 ccn 7178

2. Hazard(s) identification

Physical hazards

Flammable liquids

Category 4

Health hazards

Acute toxicity, oral

Category 4

Skin corrosion/irritation

Category 2

Serious eye damage/eye irritation

Category 1 Category 1B

Reproductive toxicity

Specific target organ toxicity, single exposure Category 3 respiratory tract irritation

Specific target organ toxicity, single exposure

Category 3 narcotic effects

Specific target organ toxicity, repeated

Category 2 (Kidney)

exposure

OSHA defined hazards

Not classified.

Label elements



Signal word

Danger

Hazard statement

Combustible liquid. Harmful if swallowed. Causes skin irritation. Causes serious eye damage. May cause respiratory irritation. May cause drowsiness or dizziness. May damage fertility or the

unborn child.

Precautionary statement

Prevention

Obtain special instructions before use. Do not handle until all safety precautions have been read and understood. Keep away from heat/sparks/open flames/hot surfaces. - No smoking. Avoid breathing mist or vapor. Wash thoroughly after handling. Do not eat, drink or smoke when using this product. Use only outdoors or in a well-ventilated area. Wear protective gloves/protective clothing/eye protection/face protection.

Response

If swallowed: Call a poison center/doctor if you feel unwell. If on skin: Wash with plenty of water. If inhaled: Remove person to fresh air and keep comfortable for breathing. If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a poison center/doctor. Rinse mouth. If skin irritation occurs: Get medical advice/attention. Take off contaminated clothing and wash before reuse. In case of fire: Use appropriate media to extinguish.

Storage

Store in a well-ventilated place. Keep container tightly closed, Keep cool, Store locked up.

Dynasolve CU-6

925985 Version #: 01 Revision date: - Issue date: 05-May-2015

SDS US

Hazard(s) not otherwise classified (HNOC)

None known.

3. Composition/information on ingredients

Mixtures

Chemical name	CAS number	% 40 - 60	
1-Methyl-2-pyrrolidinone	872-50-4		
Butyrolactone	96-48-0	10 - 30	
2-Phenoxyethanol	122-99-6	10 - 20	
Branched-nonylphenol ethoxylate	68412-54-4	2.5 - 10	
Ethyl-3-ethoxy propionate	763-69-9	2.5 - 10	
[2-(2-methoxymethylethoxy)me thylethoxy]propanol	25498-49-1	2.5 - 10	

4. First-aid measures

Inhalation Remove victim to fresh air and keep at rest in a position comfortable for breathing. Call a poison

center or doctor/physician if you feel unwell.

Remove contaminated clothing. Wash with plenty of soap and water. If skin irritation occurs: Get Skin contact

medical advice/attention. Wash contaminated clothing before reuse.

Immediately flush eyes with plenty of water for at least 15 minutes. Remove contact lenses, if Eye contact

present and easy to do. Continue rinsing. Get medical attention immediately.

Ingestion Rinse mouth. If vomiting occurs, keep head low so that stomach content doesn't get into the lungs.

Get medical advice/attention if you feel unwell.

Most important symptoms/effects, acute and

delayed

May cause drowsiness and dizziness, Headache, Nausea, vomiting, Severe eye irritation. Symptoms may include stinging, tearing, redness, swelling, and blurred vision. Permanent eye damage including blindness could result. May cause respiratory irritation. Skin irritation. May cause redness and pain.

Indication of immediate medical attention and special treatment needed

Provide general supportive measures and treat symptomatically. Keep victim warm. Keep victim under observation. Symptoms may be delayed.

General information

If exposed or concerned: get medical attention/advice. If you feel unwell, seek medical advice (show the label where possible). Ensure that medical personnel are aware of the material(s) involved, and take precautions to protect themselves. Show this safety data sheet to the doctor in attendance.

5. Fire-fighting measures

Suitable extinguishing media

Unsuitable extinguishing media

Alcohol resistant foam. Water fog. Dry chemical powder. Carbon dioxide (CO2).

Do not use water jet as an extinguisher, as this will spread the fire.

Specific hazards arising from the chemical

Special protective equipment

The product is combustible, and heating may generate vapors which may form explosive vapor/air mixtures. During fire, gases hazardous to health may be formed.

Self-contained breathing apparatus and full protective clothing must be worn in case of fire.

and precautions for firefighters Fire fighting

In case of fire and/or explosion do not breathe fumes. Move containers from fire area if you can do so without risk.

equipment/instructions Specific methods

Use standard firefighting procedures and consider the hazards of other involved materials.

General fire hazards Combustible liquid.

6. Accidental release measures

Personal precautions. protective equipment and emergency procedures

Keep unnecessary personnel away. Keep people away from and upwind of spill/leak. Eliminate all ignition sources (no smoking, flares, sparks, or flames in immediate area). Wear appropriate protective equipment and clothing during clean-up. Avoid breathing mist or vapor. Do not touch damaged containers or spilled material unless wearing appropriate protective clothing. Ensure adequate ventilation. Local authorities should be advised if significant spillages cannot be contained. For personal protection, see section 8 of the SDS.

Dynasolve CU-6 925985 Version #: 01 Revision date: - Issue date: 05-May-2015 Methods and materials for containment and cleaning up Eliminate all ignition sources (no smoking, flares, sparks, or flames in immediate area). Keep combustibles (wood, paper, oil, etc.) away from spilled material.

Large Spills: Stop the flow of material, if this is without risk. Use water spray to reduce vapors or divert vapor cloud drift. Dike the spilled material, where this is possible. Use a non-combustible material like vermiculite, sand or earth to soak up the product and place into a container for later disposal. Following product recovery, flush area with water.

Small Spills: Absorb with earth, sand or other non-combustible material and transfer to containers for later disposal. Wipe up with absorbent material (e.g. cloth, fleece). Clean surface thoroughly to remove residual contamination.

Never return spills to original containers for re-use. For waste disposal, see section 13 of the SDS.

Environmental precautions

Avoid discharge into drains, water courses or onto the ground.

7. Handling and storage

Precautions for safe handling

Obtain special instructions before use. Do not handle until all safety precautions have been read and understood. Keep away from open flames, hot surfaces and sources of ignition. Do not get this material in contact with eyes. Avoid breathing mist or vapor. Avoid contact with skin and clothing. Avoid prolonged exposure. Do not taste or swallow. When using, do not eat, drink or smoke. Pregnant or breastfeeding women must not handle this product. Should be handled in closed systems, if possible. Provide adequate ventilation. Wear appropriate personal protective equipment. Wash hands thoroughly after handling. Observe good industrial hygiene practices.

Conditions for safe storage, including any incompatibilities Store locked up. Keep away from heat, sparks and open flame. Store in a cool, dry place out of direct sunlight. Store in original tightly closed container. Store in a well-ventilated place. Keep in an area equipped with sprinklers. Store away from incompatible materials (see Section 10 of the SDS).

8. Exposure controls/personal protection

Occupational exposure limits

US. Workplace Environmental Exposure Level (WEEL) Guides

Components	Туре	Value	
1-Methyl-2-pyrrolidinone (CAS 872-50-4)	TWA	40 mg/m3	
S8X 6		10 ppm	

Biological limit values

ACGIH Biological Exposure Indices

Components	Value	Determinant	Specimen	Sampling Time	
1-Methyl-2-pyrrolidinone (CAS 872-50-4)	100 mg/l	5-Hydroxy-N-m ethyl-2-pyrrolid	Urine	*	-

^{* -} For sampling details, please see the source document.

Exposure guidelines

US WEEL Guides: Skin designation

1-Methyl-2-pyrrolidinone (CAS 872-50-4)

Can be absorbed through the skin.

Appropriate engineering

controls

Good general ventilation (typically 10 air changes per hour) should be used. Ventilation rates should be matched to conditions. If applicable, use process enclosures, local exhaust ventilation, or other engineering controls to maintain airborne levels below recommended exposure limits. If exposure limits have not been established, maintain airborne levels to an acceptable level. Eye wash facilities and emergency shower must be available when handling this product.

Individual protection measures, such as personal protective equipment

Eye/face protection

Wear safety glasses. If splash potential exists, wear full face shield or chemical goggles.

Skin protection

Hand protection

Wear appropriate chemical resistant gloves.

Other

Wear appropriate chemical resistant clothing. Use of an impervious apron is recommended.

Respiratory protection

In case of inadequate ventilation or risk of inhalation of vapors, use suitable respiratory equipment.

Chemical respirator with organic vapor cartridge and full facepiece.

Thermal hazards

Wear appropriate thermal protective clothing, when necessary.

Dynasolve CU-6 SDS US 925985 Version #: 01 Revision date: - Issue date: 05-May-2015

General hygiene considerations When using, do not eat, drink or smoke. Always observe good personal hygiene measures, such as washing after handling the material and before eating, drinking, and/or smoking. Routinely wash work clothing and protective equipment to remove contaminants.

9. Physical and chemical properties

Appearance

Physical state

Liquid.

Form

Liquid.

Color

Colorless to straw.

Odor

Not available.

Odor threshold

Not available.

pH

Not applicable.

Melting point/freezing point

Not available.

Initial boiling point and boiling

410 °F (210 °C)

range

Flash point

192.2 °F (89.0 °C) Pensky-Martens Closed Cup

Evaporation rate

Not available.

Flammability (solid, gas)

Not applicable.

Upper/lower flammability or explosive limits

Flammability limit - lower

Not available.

(%)

(70)

Flammability limit - upper

(%)

Not available.

Vapor pressure

0.45 hPa

Vapor density

Not available.

Relative density

1.065

Solubility(ies)

Solubility (water)

Miscible.

Partition coefficient

Not available.

(n-octanol/water)

Auto-ignition temperature

Not available.

Decomposition temperature

Not available.

Viscosity

Not available.

Other information

Bulk density

1.06

10. Stability and reactivity

Reactivity

The product is stable and non-reactive under normal conditions of use, storage and transport.

Chemical stability

Material is stable under normal conditions.

Possibility of hazardous reactions

No dangerous reaction known under conditions of normal use.

Conditions to avoid

Avoid heat, sparks, open flames and other ignition sources. Avoid temperatures exceeding the

flash point. Contact with incompatible materials.

Incompatible materials

Alkaline metals. Peroxides.

Hazardous decomposition

products

No hazardous decomposition products are known.

11. Toxicological information

Information on likely routes of exposure

Inhalation

May cause drowsiness and dizziness. Headache. Nausea, vomiting. May cause irritation to the respiratory system. Prolonged inhalation may be harmful.

Skin contact

Causes skin irritation.

Eye contact

Causes serious eye damage.

Ingestion

Harmful if swallowed.

Dynasolve CU-6

925985 Version #: 01 Revision date: - Issue date: 05-May-2015

Symptoms related to the physical, chemical and toxicological characteristics Headache. May cause drowsiness and dizziness. Nausea, vomiting. Severe eye irritation. Symptoms may include stinging, tearing, redness, swelling, and blurred vision. Permanent eye damage including blindness could result. May cause respiratory irritation. Skin irritation. May cause redness and pain.

Information on toxicological effects

Acute toxicity Harmful if swallowed. Narcotic effects. May cause respiratory irritation.

Components Species **Test Results**

[2-(2-methoxymethylethoxy)methylethoxy]propanol (CAS 25498-49-1)

Oral

LD50

Rat

Rat

Rat

3200 mg/kg

1-Methyl-2-pyrrolidinone (CAS 872-50-4)

Acute

Dermal

LD50 Rabbit 8000 mg/kg

Inhalation

LC50

> 5.1 mg/l

Oral

LD50

3914 mg/kg

2-Phenoxyethanol (CAS 122-99-6)

Acute

Oral

LD50 Rat 1260 mg/kg

Branched-nonylphenol ethoxylate (CAS 68412-54-4)

Acute

Dermal

LD50

2830 mg/kg

Oral

LD50

> 2000 mg/kg

Butyrolactone (CAS 96-48-0)

Acute

Inhalation

LC50

Rat

Rat

> 5.1 mg/l, 4 Hours

Oral

LD50

Rat

1582 mg/kg

Skin corrosion/irritation

Serious eye damage/eye

Causes skin irritation.

Causes serious eye damage.

irritation

Respiratory or skin sensitization

Respiratory sensitization

Not a respiratory sensitizer.

Skin sensitization

This product is not expected to cause skin sensitization.

Germ cell mutagenicity

No data available to indicate product or any components present at greater than 0.1% are

mutagenic or genotoxic.

Carcinogenicity

This product is not considered to be a carcinogen by IARC, ACGIH, NTP, or OSHA.

IARC Monographs. Overall Evaluation of Carcinogenicity

Butyrolactone (CAS 96-48-0)

3 Not classifiable as to carcinogenicity to humans.

OSHA Specifically Regulated Substances (29 CFR 1910.1001-1050)

Not classified.

Not listed.

Reproductive toxicity

May damage fertility or the unborn child.

Issue date: 05-May-2015

Specific target organ toxicity -

single exposure

May cause respiratory irritation. May cause drowsiness and dizziness.

Specific target organ toxicity -

925985 Version #: 01 Revision date: -

repeated exposure

Dynasolve CU-6

SDS US

Aspiration hazard Not an aspiration hazard.

Prolonged inhalation may be harmful. Chronic effects

12. Ecological information

The product is not classified as environmentally hazardous. However, this does not exclude the **Ecotoxicity**

possibility that large or frequent spills can have a harmful or damaging effect on the environment.

Fathead minnow (Pimephales promelas) 337 - 352 mg/l, 96 hours

Test Results Components Species 1-Methyl-2-pyrrolidinone (CAS 872-50-4) Aquatic EC50 > 500 mg/l, 72 hours Algae Scenedesmus subspicatus EC50 > 1000 mg/l, 24 hours Crustacea Daphnia magna Fish LC50 Oncorhynchus mykiss > 500 mg/l, 96 hours 2-Phenoxyethanol (CAS 122-99-6) Aquatic

Persistence and degradability

No data is available on the degradability of this product.

Bioaccumulative potential

Fish

Partition coefficient n-octanol / water (log Kow)

1-Methyl-2-pyrrolidinone (CAS 872-50-4) -0.542-Phenoxyethanol (CAS 122-99-6) 1.16 Butyrolactone (CAS 96-48-0) -0.64

LC50

Mobility in soil No data available.

Other adverse effects No other adverse environmental effects (e.g. ozone depletion, photochemical ozone creation

potential, endocrine disruption, global warming potential) are expected from this component.

13. Disposal considerations

Disposal instructions Collect and reclaim or dispose in sealed containers at licensed waste disposal site. Dispose of

contents/container in accordance with local/regional/national/international regulations.

Local disposal regulations Dispose in accordance with all applicable regulations.

Hazardous waste code The waste code should be assigned in discussion between the user, the producer and the waste

disposal company.

Waste from residues / unused

products

Dispose of in accordance with local regulations. Empty containers or liners may retain some product residues. This material and its container must be disposed of in a safe manner (see:

Disposal instructions).

Empty containers should be taken to an approved waste handling site for recycling or disposal. Contaminated packaging

Since emptied containers may retain product residue, follow label warnings even after container is

emptied.

14. Transport information

DOT

UN number NA1993

UN proper shipping name Combustible liquid n.o.s. (Ethyl-3-ethoxy propionate)

Transport hazard class(es)

Class Combustible Liquid

Subsidiary risk Label(s) None Packing group III

Special precautions for user Read safety instructions, SDS and emergency procedures before handling.

Special provisions IB3,T1,T4,TP1

Packaging exceptions 150 Packaging non bulk 203 Packaging bulk 241

This material is not regulated under 49 CFR if in a container of 119 gallon capacity or less.

IATA

Not regulated as dangerous goods.

IMDG

Not regulated as dangerous goods.

Dynasolve CU-6 SDS US 925985 Version #: 01 Revision date: -Issue date: 05-May-2015

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not established.

15. Regulatory information

US federal regulations

This product is a "Hazardous Chemical" as defined by the OSHA Hazard Communication

Standard, 29 CFR 1910.1200.

TSCA Section 12(b) Export Notification (40 CFR 707, Subpt. D)

Not regulated.

OSHA Specifically Regulated Substances (29 CFR 1910.1001-1050)

Not listed.

CERCLA Hazardous Substance List (40 CFR 302.4)

2-Phenoxyethanol (CAS 122-99-6)

LISTED

Superfund Amendments and Reauthorization Act of 1986 (SARA)

Hazard categories

Immediate Hazard - Yes Delayed Hazard - Yes Fire Hazard - Yes Pressure Hazard - No Reactivity Hazard - No

SARA 302 Extremely hazardous substance

Not listed.

SARA 311/312 Hazardous

Yes

chemical

SARA 313 (TRI reporting)

Chemical name	CAS number	% by wt.	
1-Methyl-2-pyrrolidinone	872-50-4	40 - 60	
2-Phenoxyethanol	122-99-6	10 - 20	

Other federal regulations

Clean Air Act (CAA) Section 112 Hazardous Air Pollutants (HAPs) List

2-Phenoxyethanol (CAS 122-99-6)

Clean Air Act (CAA) Section 112(r) Accidental Release Prevention (40 CFR 68.130)

Not regulated.

Safe Drinking Water Act

Not regulated.

(SDWA)

Drug Enforcement Administration (DEA). List 1 & 2 Exempt Chemical Mixtures (21 CFR 1310.12(c))

Butyrolactone (CAS 96-48-0)

70 %WV

DEA Exempt Chemical Mixtures Code Number

Butyrolactone (CAS 96-48-0)

2011

US state regulations

US. Massachusetts RTK - Substance List

1-Methyl-2-pyrrolidinone (CAS 872-50-4)

US. New Jersey Worker and Community Right-to-Know Act

1-Methyl-2-pyrrolidinone (CAS 872-50-4)

2-Phenoxyethanol (CAS 122-99-6)

US. Pennsylvania Worker and Community Right-to-Know Law

1-Methyl-2-pyrrolidinone (CAS 872-50-4)

2-Phenoxyethanol (CAS 122-99-6)

US. Rhode Island RTK

1-Methyl-2-pyrrolidinone (CAS 872-50-4)

2-Phenoxyethanol (CAS 122-99-6)

US. California Proposition 65

WARNING: This product contains a chemical known to the State of California to cause birth defects or other reproductive harm.

US - California Proposition 65 - Carcinogens & Reproductive Toxicity (CRT): Listed substance

1-Methyl-2-pyrrolidinone (CAS 872-50-4)

Dynasolve CU-6

SDS US

925985 Version #: 01 Revision date: - Issue date: 05-May-2015

International Inventories

Country(s) or region	Inventory name	On inventory (yes/no)*
Australia	Australian Inventory of Chemical Substances (AICS)	Yes
Canada	Domestic Substances List (DSL)	Yes
Canada	Non-Domestic Substances List (NDSL)	No
China	Inventory of Existing Chemical Substances in China (IECSC)	Yes
Europe	European Inventory of Existing Commercial Chemical Substances (EINECS)	No
		553

EuropeEuropean List of Notified Chemical Substances (ELINCS)NoJapanInventory of Existing and New Chemical Substances (ENCS)YesKoreaExisting Chemicals List (ECL)YesNew ZealandNew Zealand InventoryYesPhilippinesPhilippine Inventory of Chemicals and Chemical SubstancesYes

(PICCS)

United States & Puerto Rico Toxic Substances Control Act (TSCA) Inventory

16. Other information, including date of preparation or last revision

Issue date 05-May-2015

Revision date Version # 01

HMIS® ratings Health: 3*

Flammability: 2 Physical hazard: 0

NFPA ratings



Disclaimer

Dynaloy, a subsidiary of Eastman Chemical Company cannot anticipate all conditions under which this information and its product, or the products of other manufacturers in combination with its product, may be used. It is the user's responsibility to ensure safe conditions for handling, storage and disposal of the product, and to assume liability for loss, injury, damage or expense due to improper use. The information in the sheet was written based on the best knowledge and experience currently available.

Yes

8/8

Dynasolve CU-6 SDS US

^{*}A "Yes" indicates this product complies with the inventory requirements administered by the governing country(s).

A "No" indicates that one or more components of the product are not listed or exempt from listing on the inventory administered by the governing country(s).